

# CABLE MANAGEMENT CABLE LADDER



## INTRODUCTION

The cable ladder system is designed to use in Data Center and to route the communication cables, such as telco, data, coaxial, and signaling cables between racks, cabinets or ODF. The system provide the effective routing solutions to easily manage and protect cables. Cable ladder can be tailored to meet your own specific requirements.

## CABLE LADDER

We offer standard size of metal cable ladder with components to route and protect the communication cables. Other dimension of cable ladders are also available upon request.

## CABLE LADDER

<b>Powder Coated</b>	• Powder coated with various colour
<b>Material:</b>	• Steel
<b>Spacing:</b>	• Cross section at 300mm intervals
<b>Length:</b>	• 2.4m; or other lengths upon request



## FEATURES

- Decrease cable damage
- Promote proper cable bend radius for better data transmission
- Easy and fast deployment
- Easy to expand, move and change
- Meet TIA/EIA installation guidelines for Category 5e, 6, 6A and fiber optical cables

## APPLICATIONS

- Telecommunication Rooms
- Equipment Rooms
- Data Centers





### ORDERING PART NUMBER

Example: CLD-600300-MS-BL = Cable Ladder, 600(W)x300(W)mm, Steel, Black

Character	C	L	D	A	B	C	D	E	F	G	H	I	J
Example	C	L	D	6	0	0	3	0	0	S	T	B	L

ABC – Width (mm) Section A
100 = 100mm
150 = 150mm
300 = 300mm
450 = 450mm
600 = 600mm
900 = 900mm

DEF – Height (mm) Section B
100 = 100mm
150 = 150mm
300 = 300mm

GH – Material
ST = Steel

IJ – Colour
BL = Black
GY = Light Grey
RD = Red
OR = Orange
YL = Yellow

**Notes**

Please contact us for other configuration and customization

The information and specification in this document are subjected to change without notice

